

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	8	"5787132".pn. "6,167078".pn. "6301297".pn. "5623522".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/04 07:40
L6	4	(US-6301297-\$ or US-6167078-\$ or US-5787132-\$ or US-5623522-\$). did.	USPAT	OR	OFF	2005/01/04 08:32
L13	0	(start adj2 bit) with (error and cpu and (interrupt adj request))	USPAT	OR	OFF	2005/01/04 08:34
L14	220	(start adj2 bit) and (error and cpu and (interrupt adj request))	USPAT	OR	OFF	2005/01/04 08:34
L15	217	14 and @ad<="20010222"	USPAT	OR	OFF	2005/01/04 08:34
L16	149	15 and (uart or asynchronous)	USPAT	OR	OFF	2005/01/04 08:35
L17	23	16 and (edge adj2 detect\$3)	USPAT	OR	OFF	2005/01/04 08:35
L18	9	(US-6816544-\$ or US-6112275-\$ or US-6067318-\$ or US-5805909-\$ or US-5761697-\$ or US-5729573-\$ or US-5644593-\$ or US-4679191-\$ or US-4477847-\$).did.	USPAT	OR	OFF	2005/01/04 08:59
L19	43747	uart or asynchronous	USPAT	OR	OFF	2005/01/04 08:59
L20	6	19 and ((start adj bit) with error) and ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:22
L21	0	19 and ((start adj bit) with error) with ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:17
L22	0	19 and ((start adj bit) with detect\$3) with ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:18
L23	21	19 and ((start adj bit) with detect\$3) and ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:18
L24	20	23 and @ad<="20010222"	USPAT	OR	OFF	2005/01/04 09:33
L25	62	19 and ((halt\$3 or interrupt\$3) adj (transmission or transmtting or receiv\$3 or reception)) with error	USPAT	OR	OFF	2005/01/04 09:23
L26	62	25 and @ad<="20010222"	USPAT	OR	OFF	2005/01/04 09:24
L27	2	26 and ((start adj2 bit) with detect\$3)	USPAT	OR	OFF	2005/01/04 09:26
L28	4	26 and ((start adj2 bit) and detect\$3)	USPAT	OR	OFF	2005/01/04 09:26
S1	84749	serial with (communication or transmit\$4 or receiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:26

S2	2992	S1 and start adj bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:26
S3	3633	S1 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S4	688	S3 and (start adj2 bit) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:29
S5	5	S4 and (error with (notification))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S6	2	S5 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S7	407	375/369.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S8	119	S7 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S9	20	S8 and (error with (notification or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:53
S10	18	S9 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/04 07:39
S11	3	S10 and (edge adj detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:32
S12	0	S11 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 13:00
S13	407	375/369.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:37

S14	45	S13 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S15	43	S14 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:46
S16	5	S15 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:02
S17	1104	375/362.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:37
S18	6	S17 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:38
S19	6	S18 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:41
S20	1	S19 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:38
S21	343	370/305.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:44
S22	15	S21 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:42
S23	15	S22 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:42
S24	3	S23 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:42
S25	308	370/304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:44

S26	45	S14 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:44
S27	1	S25 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S28	806	370/449.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S29	10	S28 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S30	9	S29 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:49
S31	1	S30 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:46
S32	19716	serial adj (communication\$1 or transceiver\$1 or receiv\$3 or transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:50
S33	1259	S32 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:01
S34	17	S33 and (bit adj2 level) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:02
S35	16	S34 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:02
S36	2	S35 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:05
S37	0	S36 and error with (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:05

S38	2	S36 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:05
S39	7202	uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S40	133	S39 and (start adj2 bit\$1) with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S41	30	S40 and error adj3 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S42	27	S41 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S43	4	S42 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S44	1390	375/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S45	4151	S44 and uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S46	111	S45 and (start adj2 bit\$1) with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:04
S47	23	S46 and error adj3 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S48	27	S42 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:20
S49	4	S48 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:09

S50	1121	375/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S51	4152	S50 and uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S52	4	S50 and (uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:05
S53	2	S52 and (error adj (detect\$3 or notificat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:36
S54	117	(mitsubishi adj2 danki).in. (kabushika adj2 kaisha).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S55	0	S54 and (uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S56	0	S54 and (start adj2 bit\$1) with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:09
S57	4993	(renesas adj2 technology).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:09
S58	10	S57 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:18
S59	0	S58 and error adj2 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:10
S60	583	(start adj2 bit) and (maintain\$3 with level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:18
S61	159	S60 and error adj2 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:19

S62	93	S61 and (uart or asynchronous)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:19
S63	23	S62 and edge adj detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:20
S64	20	S63 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:20
S65	11	failure with (detect\$3 and (start adj2 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:36
S66	8	S65 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:37
S67	2	(US-5592623-\$ or US-4225960-\$). did.	USPAT	OR	OFF	2005/01/03 11:45
S68	900	709/225.ccls.	USPAT	OR	OFF	2005/01/03 11:45
S69	0	S68 and (start adj2 bit) with (edge adj2 detect\$3)	USPAT	OR	OFF	2005/01/03 11:46
S70	5	S68 and (start adj2 bit)	USPAT	OR	OFF	2005/01/03 11:46
S71	0	S69 and error\$1	USPAT	OR	OFF	2005/01/03 11:47
S72	4	S70 and error\$1	USPAT	OR	OFF	2005/01/03 11:49
S73	19	failure with (stop adj bit\$1)	USPAT	OR	OFF	2005/01/03 11:53
S74	11	S73 and error adj (message\$1 or notificat\$3 or detect\$3)	USPAT	OR	OFF	2005/01/03 11:53
S75	11	S74 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 11:53
S76	19	failure with (start adj bit\$1)	USPAT	OR	OFF	2005/01/03 11:53
S77	6	S76 and error adj (message\$1 or notificat\$3 or detect\$3)	USPAT	OR	OFF	2005/01/03 11:53
S78	6	S77 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 11:55
S79	6051	uart or (asynchronous adj communication\$1)	USPAT	OR	OFF	2005/01/03 11:56
S80	39	S79 and (uart with (error with output\$1))	USPAT	OR	OFF	2005/01/03 11:56
S81	39	S80 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 12:27
S82	24	S81 and start adj2 bit	USPAT	OR	OFF	2005/01/03 12:54
S83	53	monitor\$3 with (bit adj2 level)	USPAT	OR	OFF	2005/01/03 12:55
S84	10	S63 and edge adj detect\$3	USPAT	OR	OFF	2005/01/03 12:55
S85	10	S84 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 12:56

S86	10	S85 and (uart or asynchronous)	USPAT	OR	OFF	2005/01/03 13:17
S87	13	(start adj bit) with ((bit adj2 level) with detect\$3)	USPAT	OR	OFF	2005/01/03 13:20
S88	2	(start adj bit) with ((bit adj2 level) adj detect\$3)	USPAT	OR	OFF	2005/01/03 13:18
S89	0	S87 and bit adj detection adj error	USPAT	OR	OFF	2005/01/03 13:22
S90	0	(start adj bit) with (bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:23
S91	1	(start adj bit) and (bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:24
S92	0	(start adj bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:24
S93	0	(start adj2 bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:24
S94	0	(start adj2 bit adj detect\$3 adj error)	USPAT	OR	OFF	2005/01/03 13:25
S95	41	serial adj data with (interrupt adj request)	USPAT	OR	OFF	2005/01/03 13:25
S96	40	S95 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 13:26
S97	12	S96 and start adj2 bit	USPAT	OR	OFF	2005/01/03 13:27
S98	0	S97 and bit adj level	USPAT	OR	OFF	2005/01/03 13:26